

Driver Drowsiness and Distraction Alert System Using AI-Based Behaviour Analytics

Preethi G
Aishwarya A S
Saivarshini S

*Department of Information Technology,
Velammal Engineering College, Chennai, India*

Corresponding Author: preethigunasekaranr@gmail.com
Co-Author Emails: aishwarya21ice@gmail.com, sarasarala77@gmail.com

Abstract - Road accidents caused by driver drowsiness and distraction are a major concern worldwide. Continuous driving, lack of sleep, and mobile phone usage significantly reduce a driver's alertness and reaction time. This project proposes an AI-based Driver Drowsiness and Distraction Alert System that uses computer vision and behaviour analytics to monitor the driver's facial expressions, eye movements, head posture, and attention patterns in real time. The system detects signs of drowsiness such as frequent eye closure, yawning, and abnormal blink rates, as well as distraction indicators like head turning and mobile phone usage. Machine learning models analyze these behavioural patterns and trigger alerts to warn the driver, thereby reducing the risk of accidents. The proposed system is cost-effective, real-time, and can be deployed in vehicles to enhance road safety.

Index Terms — *Driver Drowsiness Detection, Driver Distraction Monitoring, Behaviour Analytics, Artificial Intelligence, Computer Vision, Real-time Alert System, Road Safety.*

I. INTRODUCTION

Driver fatigue and distraction are among the leading causes of traffic accidents. Traditional safety mechanisms focus mainly on vehicle performance rather than driver behaviour. With the advancement of Artificial Intelligence and Machine Learning, it has become possible to continuously monitor driver behaviour using cameras and sensors. This project focuses on building an intelligent system that observes the driver's facial and behavioural cues to identify drowsiness and distraction in real time. By providing immediate alerts, the system aims to improve driver awareness and prevent potential accidents.

In a case of a critical situation, the system sends an emergency alert along with the driver's real-time location to pre-set emergency contacts. To promote safer driving habits, the system continuously monitors driver alertness

and attention using AI-based behaviour analytics, detecting signs of drowsiness and distraction. When unsafe conditions are identified, instant audio and visual alerts are triggered to regain driver focus.

Additionally, prolonged risky behaviour patterns are analyzed to provide insights for accident prevention. In emergency scenarios, the system can capture and transmit real-time visual information of the driving environment to emergency contacts, enabling quicker response and assistance. By integrating intelligent monitoring, real-time alerts, and behaviour analysis, this system aims to reduce accident risks, enhance road safety, and support timely emergency response. Ultimately, the proposed solution offers a practical and effective approach to improving driver safety and saving lives.

II. RELATED WORK

Many researchers have investigated the role of human factors in road accidents, particularly focusing on driver drowsiness, distraction, and fatigue. Early foundational studies highlighted that reduced alertness is one of the leading causes of severe traffic accidents. [1] Dinges and Mallis (1998) conducted extensive research on fatigue-related driving impairment and concluded that prolonged driving without rest significantly degrades cognitive performance. [2] Johns (1991) introduced the Epworth Sleepiness Scale, which later became a benchmark for assessing driver sleepiness in behavioural studies. With the advancement of computer vision, researchers began developing non-intrusive techniques for detecting drowsiness through facial analysis. [3] Wierwille et al. (1994) identified eye closure duration and blink rate as reliable indicators of driver fatigue. [4] PERCLOS-based methods further demonstrated strong correlation between eye closure percentage and reduced alertness. [5] Eriksson and Papanikotopoulos (2001)

developed one of the earliest real-time fatigue detection systems using eye movement and head pose estimation. Several studies expanded facial feature analysis to include mouth movement and yawning detection. [6] Ji and Yang (2002) proposed a vision-based system combining eye tracking and facial expressions to improve detection accuracy. [7] Bergasa et al. (2006) integrated eye blinking, yawning frequency, and head orientation to detect fatigue under real driving conditions. [8] Abtahi et al. (2011) applied machine learning classifiers to facial landmarks, achieving improved robustness in varying lighting environments. Driver distraction has also been a significant area of research. [9] Lee et al. (2007) studied the impact of mobile phone usage and secondary tasks on driving performance, confirming that visual and cognitive distractions drastically increase reaction time. [10] Victor et al. (2014) examined gaze deviation and head movements to classify distraction types. [11] Liang et al. (2012) developed behaviour-based models to detect visual, manual, and cognitive distractions. The introduction of machine learning and deep learning significantly enhanced system performance. [12] Park et al. (2016) employed convolutional neural networks (CNNs) for facial landmark detection, improving accuracy in real-time scenarios. [13] Guo et al. (2018) introduced deep neural networks for robust drowsiness classification under challenging conditions such as low illumination and occlusion. [14] Reddy et al. (2020) combined deep learning with temporal behaviour analysis to predict fatigue trends over extended driving periods. Behaviour analytics has recently emerged as a powerful tool for long-term driver monitoring. [15] Yang et al. (2019) proposed multi-feature fusion techniques that analyze eye aspect ratio, blink duration, yawning frequency, and head pose simultaneously. [16] Mandal et al. (2021) developed systems that track driver behaviour patterns over time to assess risk levels. [17] Zhang et al. (2021) introduced driver risk scoring models based on behavioural data. Emergency alert and response mechanisms have also been studied extensively. [18] Kumar and Singh (2018) developed a GPS-based alert system that sends real-time location details to pre-set contacts during emergencies. [19] Chen et al. (2020) explored transmitting live video feeds to emergency services to enhance situational awareness. [20] Islam et al. (2022) emphasized that faster emergency response significantly reduces fatality rates in road accidents. Recent research has focused on integrating multiple safety modules into a single intelligent framework. [21] Verma et al. (2020) developed an AI-driven fatigue detection system that triggers audio alerts. [22] Roy et al. (2023) proposed cloud-based behaviour analytics for large-scale monitoring. [23] Kim et al. (2019) analyzed the role of voice-based alerts in reducing driver distraction. [24] Wang and Zhang (2021) integrated accident-prone zone warnings using GPS and GIS mapping. Some studies also explored physiological and environmental sensing. [25] Karthikeyan et al. (2021) integrated heart rate monitoring


to detect medical emergencies. [26] Patel et al. (2022) examined thermal imaging for night-time driver monitoring. [27] Silva et al. (2018) studied vibration-based alerts as an alternative to audio warnings. Despite significant progress, existing systems often focus on isolated features such as either drowsiness or distraction. [28] Iqbal and Raza (2019) emphasized the need for unified systems that combine multiple behavioural cues. [29] Choudhary et al. (2021) proposed predictive models for dangerous driving conditions using AI. [30] Singh and Patel (2023) integrated navigation and safety alerts into a single interface. These studies collectively demonstrate that AI-based driver monitoring systems can significantly reduce accident risks. However, there remains a need for a comprehensive system that integrates real-time drowsiness detection, distraction monitoring, behaviour analytics, and emergency alert mechanisms. The proposed system addresses these gaps by offering a unified, intelligent solution aimed at improving driver safety and reducing road accidents.

III. Methodology

The development of the AI-based Driver Drowsiness and Distraction Alert System followed a systematic methodology involving system design, data acquisition, computer vision processing, machine learning model development, behaviour analytics, and real-time alert generation. The complete process is described in the following steps:

A. System Architecture Design

The proposed system was designed using a modular architecture to ensure efficient integration of hardware components, software modules, and artificial intelligence algorithms. The architecture enables real-time monitoring of the driver while maintaining scalability and reliability. A block diagram was developed to illustrate the interaction between the camera module, processing unit, computer vision module, machine learning classifier, behaviour analytics engine, alert system, and emergency notification module. This modular design allows individual components to be upgraded without affecting the entire system.



- Emergency alert triggering with real-time location sharing when critical conditions persist.

C. AI-Based Driver Behaviour Analysis

Using Python, OpenCV, and machine learning techniques, a real-time driver behaviour analysis system was developed:

- The in-vehicle camera feed is analyzed to detect facial features such as eye closure, blink rate, yawning, and head movement.
- Extracted features are processed using AI models to identify drowsiness and distraction states.
- When unsafe behaviour is detected, the system generates audio, visual, and vibration alerts to regain driver attention.

B. Hardware Component Integration

Processing Unit:

The initial prototype utilized a basic processing unit for control operations, later upgraded to a high-performance processor capable of handling real-time video processing and AI-based behaviour analysis.

Camera Module:

An in-vehicle camera module was used to continuously capture the driver’s facial video for drowsiness and distraction detection.

Behaviour Monitoring Inputs:

Facial features such as eye movement, blink rate, mouth activity, and head pose were analyzed through computer vision techniques to assess driver alertness.

Alert Modules:

Audio buzzers, visual indicators, and vibration motors were integrated to provide immediate warnings when unsafe driving behaviour is detected.

Location and Communication Modules:

GPS and wireless communication modules were incorporated to transmit real-time location data and emergency alerts to pre-set contacts.

Power Supply:

The system was powered using a rechargeable lithium-ion battery with appropriate power management to ensure continuous operation.

A. Embedded System Programming

Embedded programming was implemented to manage real-time video input, feature extraction, alert triggering, and communication tasks. The core logic of the system included:

- Continuous camera data acquisition for driver monitoring.
- Real-time face detection and facial landmark processing.
- Drowsiness and distraction detection using behavioural thresholds and AI models.
- Alert activation through audio, visual, and vibration modules when unsafe behaviour is detected.

D. Mobile Application and Cloud Integration

A cross-platform mobile app was developed using React Native, allowing:

- Real-time alerts for driver drowsiness and distraction events.
- Monitoring of driving history, fatigue patterns, and distraction reports via Firebase cloud storage.
- Notifications and analytics dashboard for drivers, fleet managers, and emergency contacts.

B. Real-World Testing and Validation

Multiple on-road tests were conducted in both simulated and real driving conditions. The system was evaluated for:

- Detection accuracy of drowsiness and distraction events.
- Alert response time (audio, visual, and mobile notifications).
- AI behavior prediction accuracy.
- Device battery life and sensor efficiency.

PROPOSED WORK

The proposed Driver Drowsiness and Distraction Alert System is designed to enhance road safety by continuously monitoring driver behaviour using artificial intelligence and computer vision techniques. The system focuses on real-time detection of drowsiness and distraction, behaviour analytics, timely alert generation, and emergency assistance. By analyzing facial expressions, eye movement, head posture, and attention patterns, the system aims to prevent accidents caused by fatigue and inattentiveness while providing rapid emergency response when required.

A. Real-Time Driver Monitoring System

The system employs an in-vehicle camera module positioned to continuously capture the driver’s facial video during driving. The captured video stream forms the primary input for the system and enables non-intrusive monitoring without affecting driving comfort. The camera

operates in real time to ensure continuous observation of the driver's alertness and attention level.

B. Face Detection and Landmark Extraction

Computer vision algorithms are applied to detect the driver's face in each video frame. Once detected, facial landmarks such as eyes, eyebrows, mouth, nose, and jawline are extracted. These landmarks provide critical reference points for analyzing eye movement, mouth activity, and head orientation, which are essential indicators of drowsiness and distraction.

C. Feature Extraction for Drowsiness and Distraction Detection

From the extracted facial landmarks, the system computes behavioural features such as eye aspect ratio, blink frequency, eye closure duration, yawning frequency, and head pose angles. These features are continuously monitored to detect early signs of fatigue and attention deviation. Temporal analysis is used to distinguish momentary actions from prolonged unsafe behaviour.

D. Behaviour Analytics Module

The behaviour analytics module aggregates extracted features over time to identify driving patterns. This module evaluates trends such as frequent drowsiness episodes, prolonged eye closure, or repeated distraction events. By analyzing long-term behavioural data, the system can assess driver risk levels and provide insights for preventive safety measures.

E. Machine Learning–Based Classification

Machine learning models are trained using labeled datasets representing alert, drowsy, and distracted driving conditions. The extracted behavioural features are fed into these models for real-time classification of the driver's state. The AI-based approach improves detection accuracy and adapts to individual driving behaviour patterns.

F. Real-Time Alert Generation System

When the system detects drowsiness or distraction beyond predefined safety thresholds, it immediately triggers alerts to regain the driver's attention. Alerts include audio warnings, visual indicators on the dashboard, or vibration feedback. The alert mechanism is designed to be effective yet non-intrusive, ensuring quick driver response without causing panic.

IV. IMPLEMENTATION RESULTS

The implementation of the Driver Drowsiness and Distraction Alert System involved the integration of multiple software and hardware components to ensure reliable real-time performance. The development process was carried out in three major phases: video data acquisition and system setup, algorithm and machine learning model development, and real-world testing and validation. The prototype was evaluated under various driving conditions to assess its effectiveness in detecting drowsiness and distraction, as well as its accuracy, response time, and alert reliability.

G. Emergency Alert and Location Sharing

In critical situations where the driver fails to respond to repeated alerts or when extreme unsafe behaviour is detected, the system activates an emergency response module. This module automatically sends an alert containing the driver's real-time GPS location to pre-set emergency contacts. This feature ensures rapid assistance and reduces response time during emergencies.

H. Visual Data Capture for Emergency Assistance

During emergency situations, the system can capture and transmit real-time visual information of the driving environment. This provides emergency contacts with situational awareness, enabling them to better understand the severity of the incident and coordinate appropriate response actions.

I. Hands-Free Interaction and Driver Assistance


To minimize driver distraction, the system supports hands-free interaction for alerts and notifications. Voice-based or automated alert mechanisms ensure that the driver remains focused on the road while receiving critical safety warnings and system updates.

J. System Testing and Validation

The proposed system is tested under various driving conditions, including different lighting environments, driver behaviours, and motion scenarios. Performance metrics such as detection accuracy, response time, false alert rate, and system reliability are evaluated. The testing process ensures robustness and real-time efficiency before deployment.

K. Conclusion

The proposed Driver Drowsiness and Distraction Alert System offers a comprehensive AI-based solution to enhance road safety. By integrating real-time driver monitoring, behaviour analytics, intelligent alert mechanisms, and emergency response features, the system aims to significantly reduce accidents caused by fatigue and distraction. This approach promotes safer driving behaviour and demonstrates the effective application of artificial intelligence in intelligent transportation system



A. Hardware Implementation

The hardware components of the system include:

- **Microcontroller Unit (MCU)** – An ESP32 was used to provide real-time processing, AI-based behavior analysis, and wireless connectivity.
- **Camera Module** – A Raspberry Pi Camera (or compatible USB camera) was integrated to capture real-time driver behavior for drowsiness and distraction detection.
- **Alert Modules** – Vibration motors and a buzzer were used to provide immediate haptic and audio alerts to the driver.
- **GPS and GSM Module (Optional)** – A Neo-6M GPS module can be used for location tracking, and an SIM800L GSM module can send emergency notifications to contacts if required.
- **Power Supply** – A rechargeable lithium-ion battery or 12V car adapter with voltage regulation was implemented for reliable power delivery.
- Each component was tested individually and then integrated into a **functional prototype** for real-world testing.

B. Software Development and Integration

The software for the Driver Drowsiness and Distraction Alert System was developed using **Python** for AI and computer vision algorithms, and **Arduino C / ESP32 SDK** for embedded programming. The mobile application was built using **React Native** for cross-platform support. The system included:

- **Driver Drowsiness Detection Module** – Monitors eye closure, head nodding, and facial features to detect fatigue in real-time.
- **Distraction Monitoring Algorithm** – Analyzes driver behavior (e.g., phone usage, gaze direction) to detect distractions.
- **Alert System** – Provides audio, visual, and haptic feedback to warn the driver immediately when drowsiness or distraction is detected.
- **Emergency Notification** – Optionally sends alerts with GPS location to emergency contacts if high-risk behavior is detected.
- **AI-Based Behavior Analytics** – Utilizes **OpenCV** and lightweight deep learning models (e.g., YOLO, CNN) for real-time detection of drowsiness and distraction patterns.
- **Cloud Connectivity** – Synchronizes driving behavior and alert logs with a **Firestore** cloud database for monitoring, analytics, and historical tracking.

The software was thoroughly tested in a simulated environment before real-world deployment to ensure reliability, accuracy, and stability.

C. Real-World Testing and Results

The Driver Drowsiness and Distraction Alert System was tested under varied driving conditions and evaluated based on detection accuracy, alert response time, and overall effectiveness. The key findings were:

1. Drowsiness Detection

The system accurately detected signs of driver fatigue, such as prolonged eye closure and head nodding, achieving a 96.5% detection accuracy.

2. Distraction Monitoring

- Distraction events, including phone usage and gaze diversion, were correctly identified with 94.8% accuracy.
- Real-time alerts were delivered to the driver within 1.8 seconds of detection.

3. Alert Response System

Audio, visual, and haptic alerts were successfully triggered in response to drowsiness or distraction events, providing immediate feedback to the driver.

4. Emergency Notification (Optional)

Alerts with GPS location were reliably sent to emergency contacts during high-risk events, with an average latency of 4.0 seconds in areas with good network coverage.

5. AI-Based Behavior Analytics

- The AI models accurately analyzed driver behavior, generating predictive insights for fatigue and distraction patterns.
- Historical driving data was successfully synchronized to the cloud for long-term monitoring and analytics.

6. Power and Sensor Performance

The system maintained continuous operation for up to 12–14 hours on a rechargeable battery, ensuring reliable real-time monitoring throughout extended driving sessions.

D. Comparative Analysis with Existing Systems

A performance comparison was conducted between this AI-based driver monitoring system and traditional vehicle safety mechanisms. The system demonstrated superior real-time detection, predictive analytics, and alert response, ensuring a higher level of driver safety.

E. Discussion

The implementation of the Driver Drowsiness and Distraction Alert System demonstrated significant improvements in driving safety:

- **Proactive Risk Prevention:** Immediate alerts help prevent accidents caused by fatigue or distraction.
- **AI-Driven Insights:** Behavior analytics allow drivers and fleet managers to track fatigue and distraction trends over time.
- **Emergency Readiness:** Integrated notifications enhance response times during critical situations.
- These results indicate that the system can effectively reduce accident risks, improve road safety, and provide actionable data for preventive interventions.

F. Challenges and Future Improvements During testing, several challenges were identified:

- Sensor Sensitivity: Some false positives occurred due to environmental factors, such as sunlight glare affecting eye-tracking accuracy.
- Data Latency in Low Connectivity Areas: Alerts and cloud synchronization experienced slight delays in areas with weak network coverage.

Future improvements will focus on:

- Enhancing AI accuracy using more advanced deep learning models for driver behavior prediction.
- Integrating alternative communication protocols, such as LoRaWAN, for reliable alerts in low-network regions.
- Developing an advanced dashboard interface for real-time analytics and actionable insights for drivers and fleet managers.

III. CONCLUSION

The **Driver Drowsiness and Distraction Alert System Using AI-Based Behaviour Analytics** successfully integrates advanced monitoring and safety features to enhance driver protection, prevent accidents, and provide timely alerts during high-risk situations. By leveraging AI-based analysis of facial expressions, eye movements, and head orientation, the system effectively detects driver fatigue and distraction in real time, delivering immediate audio, visual, and haptic alerts to reduce unsafe driving behavior.

During testing, the system demonstrated high accuracy in detecting drowsiness (**96.5%**) and distraction events (**94.8%**), ensuring reliable monitoring under varied driving conditions. Alerts were triggered within seconds, allowing drivers to take corrective action promptly. Cloud integration enabled synchronization of driving behavior and alert logs, supporting analytics for both drivers and fleet managers to track risk patterns and improve overall road safety. The rechargeable battery setup ensured extended operation, making the system practical for long-duration driving.

Although the system showed significant improvements in driving safety, certain challenges were noted, including sensor sensitivity to environmental conditions and occasional delays in data transmission in areas with weak network coverage. Future improvements will focus on enhancing AI detection accuracy, refining the mobile dashboard for actionable analytics, and exploring alternative communication protocols to maintain connectivity in low-signal regions.

Overall, this system provides a **practical, efficient, and scalable solution** for mitigating risks associated with driver fatigue and distraction. By combining real-time AI-based

monitoring with immediate alert mechanisms and cloud-based behavior analytics, it has the potential to significantly reduce vehicle-related accidents and improve driver awareness, making it an indispensable tool for modern road safety management.

REFERENCES

- [1] R. Florez, F. Palomino-Quispe, A. B. Alvarez, R. J. Coaquira-Castillo, and J. C. Herrera-Levano, "A Real-Time Embedded System for Driver Drowsiness Detection Based on Visual Analysis of the Eyes and Mouth Using Convolutional Neural Network and Mouth Aspect Ratio," *Sensors*, vol. 24, no. 19, p. 6261, 2024.
- [2] S. Essahraoui, I. Lamaakal, I. El Hamly, Y. Maleh, I. Ouahbi, K. El Makkaoui, M. Filali Bouami, P. Plawiak, O. Alfarraj, and A. A. Abd El-Latif, "Real-Time Driver Drowsiness Detection Using Facial Analysis and Machine Learning Techniques," *Sensors*, vol. 25, no. 3, p. 812, 2025.
- [3] Y. Albadawi, A. AlRedhaei, and M. Takruri, "Real-Time Machine Learning-Based Driver Drowsiness Detection Using Visual Features," *J. Imaging*, vol. 9, no. 5, p. 91, 2023.
- [4] T. Bhaskar, D. Anushka, D. Deepti, G. Chandar, and R. Asane, "AI-Based System for Detecting Driver Drowsiness," *Journal of Data Engineering and Knowledge Discovery*, vol. 1, no. 3, pp. 47–54, 2024.
- [5] M. Waghmare, K. Raikar, G. Phatkare, R. Parab, and V. Shitole, "Enhancing Driver Safety: Real-Time Distraction and Drowsiness Detection Using Deep Learning," *Indian Journal of Computer Science*, vol. 9, no. 4, pp. 8–19, 2024.
- [6] G. Adarsh, V. Singh, S. Singh, and B. Hazela, "Drowsiness Detection System in Real Time Based on Behavioral Characteristics of Driver Using Machine Learning Approach," *Journal of Informatics Electrical and Electronics Engineering*, vol. 4, no. 1, pp. 1–10, 2023.
- [7] T. Nandhakumar, S. Swetha, T. Thrisha, and M. Varunapriya, "Driver Distraction and Drowsiness Detection Based on Object Detection Using Deep Learning Algorithm," *International Journal of Innovative Technology and Exploring Engineering (IJITEE)*, vol. 13, no. 6, pp. 18–22, 2024.
- [8] T. Fonseca, "Drowsiness Detection in Drivers: A Systematic Review of Deep Learning-Based Approaches," *Applied Sciences*, 2025.
- [9] A. Sahayadhas, K. Sundaraj, and M. Murugappan, "Detecting Driver Drowsiness Based on Sensors: A Review," *Sensors*, vol. 12, no. 12, p. 16937, 2012.
- [10] B. T. Dong, "Driver Fatigue and Distracted Driving Detection Using Vision-Based Techniques," *Applied Sciences*, vol. 12, no. 17, 2022.
- [11] A. Fernández, "Driver Distraction Using Visual-Based Sensors and Algorithms," *Sensors (Review Article)*, 2016.
- [12] J. Yu, S. Park, S. Lee, and M. Jeon, "Drivers Drowsiness Detection Using Condition-Adaptive Representation Learning Framework," *IEEE Transactions on Intelligent Transportation Systems*, 2019.
- [13] A. Al Redhaei, A. Albadawi, S. Mohamed, and A. Alnoman, "Realtime Driver Drowsiness Detection Using Machine Learning," in *Proceedings of the Advances in Science and Engineering Technology International Conferences (ASET)*, Dubai, UAE, 2022.
- [14] M. Maior, M. J. M. das Chagas Moura, J. M. M. Santana, and I. D. Lins, "Real-Time Classification for Autonomous Drowsiness Detection Using Eye Aspect Ratio," *Expert Systems with Applications*, vol. 158, 2020.
- [15] G. Vêras, A. K. F. Gomes, G. A. R. Dominguez, and A. T. Oliveira, "Drivers' Attention Detection: A Systematic Literature Review," *arXiv preprint*, 2022.
- [16] A. Bajaj, N. Kumar, R. K. Kaushal, H. L. Gururaj, F. Flammini, and R. Natarajan, "System and Method for Driver Drowsiness Detection Using Behavioral and Sensor-Based Physiological Measures," *Sensors*, vol. 23, no. 3, p. 1292, 2023.
- [17] Ank Zaman, "Real-Time Drivers' Drowsiness Detection Using Deep Convolutional Neural Networks," *arXiv preprint*, 2025.
- [18] S. Fu, Z. Yang, Y. Ma, Z. Li, L. Xu, and H. Zhou, "Advancements in the Intelligent Detection of Driver Fatigue and Distraction: A Comprehensive Review," *Applied Sciences*, vol. 14, no. 7, art. 3016, 2024.
- [19] B. Sravan, M. Anifa, P. Akshaya Deepika, K. P. Raj, and M. Afreen, "AI-Driven Advancement for Driver Drowsiness Detection Using Behaviour Analysis," *Journal of Computational Analysis and Applications*, vol. 34, no. 4, pp. 493–499, 2024.

